SHEET TOTAL SHEETS 95 159

		STATE PROJECT NUMBER SHEET TOTAL NO. SHEET TOT
	EPARTMENT OF TRANSPORTA	
(154)		
(65) - 15 - 15 - 15 - 15 - 15 - 15 - 15 -	STATE OF GEORGIA	
	EROSION, SEDIMENT & POLUTION CONTROL AND	PLAN
	COMPREHENSIVE MONITORING PROGRAI	M
	FEDERAL AID PROJECT	
2000 Michael Company and Compa	FULTON COUNTY NHS-M001-00(732)	
LOCATION SKETCH	U. S. ROUTE * N/A	
	STATE ROUTE 166 P.I. NO. M001732	
ω C	z Z	END PROJECT
DRES.	WE COOSC	NHS-M001-00(732)
AIR AIL C	NTON	STA. 345+70
285 BN B 80 90 15 15 15 15 15 15 15 15 15 15 15 15 15		STRE
8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
和		
		35.00 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
BEGIN PROJEC'	"I certify that the permittee's Erosion. Sedimentation and Pollution Control Plan provides for an appropriate and comprehensive system of best management practices required by the Georgia Water Quality Control Act and the document "Manual for	
<u>NHS-M001-00(73</u>	Erosion and Sediment Control in Georgia." and that the designed system of best management practices meets the design requirements contained in the General NPDES Permit No. GAR 100000."	
STA. 91+00	"I certify that the permittee's Comprehensive Monitoring Program	
	provides for the monitoring of the receiving water(s) or the monitoring of the storm water outfalls and is expected to meet the monitoring requirements contained in the General NPDES Permit No. GAR 100000."	SCALE : 1" = 1000'
	"I certify that the permittee's Comprehensive Monitoring Program provides for the monitoring of: (a) all perennial and intermittent streams and other water bodies shown on the USGS topographic map and all other field verified perennial and	
	intermittent streams and other water bodies, or (b) where any such specific identified perennial or intermittent stream and other water body is not proposed to be sampled, I have determined in my professional judgement, utilizing the factors required in the	
	General NPDES Permit No. GAR 100000, that the increase in the turbidity of each specific identified sampled receiving water will be representative of the increase in the turbidity of a specific	
	identified un-sampled receiving water."	APPROVED BY: 8-20-02 Frank of Danslet
	"I certify under penalty of law that this document and all attachments were prepared under my direction and supervision in accordance with a system designed to assure that the qualified personnel properly gather and evaluate the information submitted.	DATE CHIEF ENGINEER Danchets
	Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware	PLANS COMPLETED AUGUST 1, 2002 REVISIONS
NITTO NEODA DOCERON	that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."	

NHS-M001-00(732)

FULTON COUNTY